ELSEVIER

Volume 511, Numbers 1–2, 5 April 1996

Journal of Organometallic Chemistry

Contents

Publisher's note viii

Review

Complexes of lanthanoids with neutral π donor ligands
G.B. Deacon (Clayton, Australia) and Q. Shen (Suzhou, People's Republic of China) 1

Regular Papers

Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components
E. Puhakka, T.T. Pakkanen (Joensuu, Finland), T.A. Pakkanen and E. Iiskola (Porvoo, Finland) 19

Strukturen ladungsgestörter Moleküle. 79. Dimeres Anthracenylmagnesiumbromid-Dibutylether
H. Bock, K. Ziemer und C. Näther (Frankfurt, Germany) 29

Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or CH_3) and of their borane adducts
D. Baudry, A. Dormond, A. Hafid and C. Raillard (Dijon, France) 37

Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide
T. Yoshida, K. Onitsuka and K. Sonogashira (Osaka, Japan) 47

Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex
P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi (Padova, Italy) 59

Organometallic selenolates. Part 2. A new synthesis of dimeric (selenolato)tetracarbonylmanganese(I) complexes. Crystal structures of $[Mn(CO)_4SeR]_2$; R = CH_2Ph, C(O)Ph and CO_2Me
W. Eikens, S. Jäger, P.G. Jones and C. Thöne (Braunschweig, Germany) 67

The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$
G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño (Oviedo, Spain) 77

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen
U. Herzog, E. Brendler und G. Roewer (Freiberg, Germany) 85

Reactivity of the unsaturated manganese dihydrides $[Mn_2(\mu\text{-}H)_2(CO)_6(\mu\text{-}L_2)]$ (L_2 = $Ph_2PCH_2PPh_2$ or $(EtO)_2POP(OEt)_2$) towards small molecules
F.J. García Alonso, M. García Sanz, X.Y. Liu, A. Oliveira, M.A. Ruiz, V. Riera (Oviedo, Spain) and C. Bois (Paris, France) 93

Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions
J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera (Oviedo, Spain) 103

Stable paramagnetic bis(alkynyl) manganese complexes
V.V. Krivykh, I.L. Eremenko, D. Veghini (Zurich, Switzerland), I.A. Petrunenko (Moscow, Russia), D.L. Pountney, D. Unseld and H. Berke (Zurich, Switzerland) 111

Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions
C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge (Madrid, Spain) 115

Dinuclear cyclometallated complexes of Pd^{II} with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]\}_2C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$
J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira (Santiago de Compostela, Spain), N.A. Bailey and H. Adams (Sheffield, UK) 129

Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates
C. Goux, P. Lhoste, D. Sinou (Villeurbanne, France) and A. Masdeu (Tarragona, Spain) 139

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an η^3-cyclooctenyl complex
R. Fornika, E. Dinjus, H. Görls and W. Leitner (Jena, Germany) 145

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$
I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev (Nizhny Novgorod, Russia), H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt (Berlin, Germany) 157

Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$
M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro (Lisboa, Portugal) 163

Evidences for intramolecular N → P coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives
C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé (Montpellier, France), J.-P. Declercq (Louvain-la-Neuve, Belgium) and A. Dubourg (Montpellier, France) 171

Elsevier Science S.A.

Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I)
H.G. Raubenheimer, L. Lindeque and S. Cronje (Johannesburg, South Africa) 177
Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium(III)]
R. Broussier, G. Delmas, P. Perron, B. Gautheron (Dijon, France) and J.L. Petersen (Morgantown, WV, USA). 185
Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its Ru^{II} and Cu^{I} complexes
A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan (Orsay, France) 193
The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N',N'*-trimethylpropylenediamine)dithiocarbamatoindium(III)
S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien (London, UK) 199
Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes
P.D. Beer (Oxford, UK), M.G.B. Drew (Reading, UK), D. Hesek and S.M. Lacy (Oxford, UK) 207
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure
C.G. Screttas, G.I. Ioannou and M. Micha-Screttas (Athens, Greece) 217
Organotin(IV) derivatives of acylpyrazol-5-ones
M.F. Mahon, K.C. Molloy, B.A. Omotowa (Bath, UK) and M.A. Mesubi (Ilorin, Nigeria). 227
Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^{t}Bu_2SiX-CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^{t}Bu_2SiF-CLi(GeMe_3)_2 \cdot 2THF$
N. Wiberg, H.-S. Hwang-Park (München, Germany), P. Mikulcik (Garching, Germany) und G. Müller (Konstanz, Germany) 239
Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $[[\eta^5:\eta^1-C_5H_4(CH_2)_2O]TiCl_2]_2$ and $[\eta^5:\eta^1-C_5H_4(CH_2)_3O]TiCl_2$
G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben (Groningen, Netherlands) 255
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$
R. Giordano, E. Sappa (Torino, Italy), D. Cauzzi, G. Predieri and A. Tiripicchio (Parma, Italy) 263
UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-pz})M]^{+/0}$; M = Mo, W; R'-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; n = 1 or 2
F. Hilgers, W. Bruns (Stuttgart, Germany), J. Fiedler (Prague, Czech Republic) and W. Kaim (Stuttgart, Germany) 273
1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$(^{i}Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond
N. Feiken, H.-W. Frühauf, K. Vrieze (Amsterdam, Netherlands), N. Veldman and A.L. Spek (Utrecht, Netherlands). 281
Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$
H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz (Wuppertal, Germany) 293
Multiple bonds between main group elements and transition metals, 154 methylrhenium(V) oxo complexes: derivatives of di(4-t-butylpyridine)dichloromethyloxorhenium(V)
W.A. Herrmann, M.U. Rauch and P.W. Roesky (Garching, Germany) 299
The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction
M.J. Almond, E.M. Page, D.A. Rice (Reading, UK) and K. Hagen (Trondheim, Norway) 303

Book Review 309

Author Index 311

Subject Index 313

Conference Calendar 321

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.